





3 x concealed fixing points



Solar panel including light sensor



## **Features**

- Commercial grade solar lighting
- Requires 10 12 hrs charge prior to use
- 10 12 hours light output per night
- High quality inbuilt lithium battery
- Attractive modern design

### **Specifications** SOLB005

Powdercoat black or greu Colour

• Charge Time 4 - 6 hours

CCT 4000K (cool white)

• Bollard Size 250H x 240Wmm (base)

Brightness Approx. 200 lumen output

Solar Panel

Light Source

• Solar Panel Size 130H x 110Wmm

9V 2.5watts

• Ideal for illuminating paths and walkways

for dusk to dawn operation

• Automatic light sensor turns LEDs on and off

• Warranty: 3 year warranty for faulty workmanship

or component failure not influenced by external means

12 high intensity LEDs

Battery

6.4V/4.5mah inbuilt lithium battery

Material

Aluminium, polycarbonate diffuser

## What is a Lumen?


In simple terms, Lumens are a measure of the total amount of visible light from a lamp or light source. The higher the lumen rating, the "brighter" the lamp will appear.

# How does this compare with other light sources?

Familiar examples • A typical 4 x D cell battery maglite will emit approx. 70 lumens


- The average hardware style path light using 2-3 LEDs emits 15-18 lumens
- A 25W incandescent globe emits approximately 160 lumens

Suitable to fix to most surfaces



1300 76 52 65

www.solarlightingdesigns.eco sales@sld.eco



240mm













· Solar panel with light sensors